

20-8575



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

139 VALVE

607.3301

Job Sheet 213820

Accounting Job SE CAD 139 Valve



Part No: 607.3301

Job Qty: 1 pcs

Part Name: Valve Pull Force Test Tool



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 10/7/20

Job Tracking No:

Due Date: 10/28/20

Created By: Marie Lajeunesse

Type: R+D

Description:

Note: 607.3300 Rev.NC IPP REV:A 20.10.06 NEW ISSUE DD VERF:JFS

Ship Via:

5307008

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
110	Small Fab - 1	1 pcs	10/28/20		0.00	1.00	Small Fab - 1		21 19-10-20
							Small Fab - 2		
							Small Fab - 3		
							Small Fab - 4		
							Small Fab - 5		
							Small Fab - 6		
							Small Fab - 7		
							Small Fab - 8		
							Small Fab - 9		
							Small Fab - Various 1		
							Small Fab - SCH-S		
120	QC 5	1 pcs	10/28/20		0.00	0.00	QC 5 - 10		DAS 82 9-89 OCT 19 2020
							QC 5 - 12		
							QC 5 - 17		
							QC 5 - 18		
							QC 5 - 19		
							QC 5 - 22		
							QC 5 - 24		
							QC 5 - 3		
							QC 5 - 43		
							QC 5 - 49		
							QC 5 - 51		
							QC 5 - 58		
							QC 5 - 68		
							QC 5 - 9		
							QC 5 - 50		
							QC 5 - 30		
							QC 5 - 40		
							QC 5 - 61		
							QC 5 - 81		
							QC 5 - 82		

Plex 10/7/20 12:24 PM Dart.lajeunesse.marie

10/7/2020

[Dart Hawkesbury] Job Sheet - Lajeunesse, Marie

				QC 5 - SCH-B	
130 Packaging 3-1 - Stock - B4B 1 pcs	10/28/20	0.00 0.00		Packaging 3 - 1 - B4B	
				Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	
				Packaging 3 - 7 - B4B	
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	DAE
				Packaging 3 - 12 - B4B	19
				Packaging 3 - 13 - B4B	9-89
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
				Packaging 3 - 37 - B4B	
				Packaging 3 - SCH-B	
140 QC 21 - FG 1 pcs	10/28/20	0.00 0.00		QC 21 - FG - 21	
				QC 21 - FG - 70	
				QC 21 - FG - 9	OCT 19 2020
				QC 21 - FG - 77	BAS
				QC 21 - FG - 28	70
				QC 21 - FG - SCH-B	9-89

Part Op 110 - ASSEMBLE AS PER DWG

Descriptions: 120 - QC5- Inspect part completeness to step on W/O

130 - Identify as per dwg & Stock in the Critical Valve Assembly room

140 - QC21- Final Inspection - Work Order Release

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
645.7110	Lock Nut Swivel	1 pcs (1 ea)	110-Small Fab - 1	306168
645.7810	Cable Rod	1 pcs (1 ea)	110-Small Fab - 1	305809
645.7910	Cable Housing	1 pcs (1 ea)	110-Small Fab - 1	305967
650.7910	Shroud	1 pcs (1 ea)	110-Small Fab - 1	5305840
CBL-1240	Cable	1 ft (1 ea)	110-Small Fab - 1	198626
CBL-460	Loop Sleeve	1 Ea (1 ea)	110-Small Fab - 1	251780
MS24665-103-ZV		2 Ea (2 ea)	110-Small Fab - 1	116355

Plex 10/7/20 12:24 PM Dart.lajeunesse.marie


Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
110-Small Fab - 1	645.7110	1	0	0
	645.7810	1	0	0
	645.7910	1	0	0
	650.7910	1	0	0
	CBL-1240	1	141	0
	CBL-460	1	66	0
	MS24665-103 -2V DAS 21 0-30	2	25	0
Part Specifications				
Specifications could not be found.				

Plex 10/7/20 12:24 PM Dart.lajeunesse.marie

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES DBA DART AEROSPACE. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES DBA DART AEROSPACE IS PROHIBITED.

NOTES:

1. IDENTIFY IAW MPP-120
2. SWAGE USING NICOPRESS NO.1-SC HAND SWAGER. SWAGE UNTIL JAWS ARE COMPLETEY CLOSED.
3. LOCK SHROUD F/N 6 IN PLACE WITH SWIVEL LOCK NUT F/N 2 USING COTTER PINS F/N 7, APPROXIMATELY AS SHOWN.



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT

WITHOUT NOTICE
WORK ORDER

NO. 213870 mls

20-10-07

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
N/C	INITIAL RELEASE	08-19-20	A.QUAN

2	7	601.2330	COTTER PIN		
1	6	650.7910	SHROUD	ALT 645.7710	
1	5	645.7810	CABLE ROD		
1	4	645.7910	CABLE HOUSING		
1	3	601.1054	CRIMP SLEEVE		2
1	2	645.7110	LOCK NUT SWIVEL TYPE		
1FT	1	601.1581	CABLE		
X		607.3301	VALVE PULL FORCE TEST TOOL		
.3301	FIND #	PART #	DESCRIPTION	MAT'L	SPEC.

QTY		PARTS LIST	
NEXT ASSY (S)		ORIGINAL DATE 08-19-20	08-19-20
		DRAWN BY A. FLORES	CHECKED J. BECKER
		DRAWING APPROVAL A. QUAN	
		CONTRACT NO.	
		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE 2 PLACES DECIMALS ±.01 ANGLES ±.5°	
		DART 3030 ENTERPRISE CT., SUITE A AEROSPACE VISTA, CA 92081 APICAL INDUSTRIES, INC. (760)-724-5300 DBA DART AEROSPACE	
		VALVE PULL FORCE TEST TOOL	
SIZE	CAGE CODE	DWG. NO.	REV.
B	07M26	607.3300	N/C
SCALE NONE		SHEET 1 OF 1	

Ketan Tailor

From: Jacob Becker
Sent: October-07-20 4:57 PM
To: Ketan Tailor
Cc: Steven Drouin
Subject: RE: Deviations for Valve Pull Force Test Tool

Understood.

Per our conversation these deviations are acceptable.

Regards,

JACOB BECKER
Lead Sustaining Engineer

DART AEROSPACE
T 1 760 509-1639
M 1 760 691-9108

From: Ketan Tailor <ktailor@dartaero.com>
Sent: Wednesday, October 07, 2020 1:48 PM
To: Jacob Becker <jbecker@dartaero.com>
Cc: Steven Drouin <sdrouin@dartaero.com>
Subject: RE: Deviations for Valve Pull Force Test Tool

Hey Jacob,

We measure the CBL-1240 Cable we have in stock and we will not deviate the 645.7810 Cable Rod.

The diameter of the uncoated Cable was 0.063".

Thanks,
Ketan

From: Ketan Tailor
Sent: October-07-20 4:35 PM
To: Jacob Becker <jbecker@dartaero.com>
Subject: Deviations for Valve Pull Force Test Tool

Hey Jacob,

We would like to make changes to the following P/Ns in order to decrease the lead time for the 607.3301 Valve Pull Force Test Tool

607.3301 Valve Pull Force Test Tool

- Replace 601.1581 Cable with CBL-1240
- Replace 601.1054 Crimp Sleeve with CBL-460
- Replace 601.2330 Cotter Pin with MS24665-103

650.7910 Shroud

- Omit outsourcing for Passivation

645.7910 Cable Housing

- Omit outsourcing for Passivation

~~645.7810 Cable Rod~~

- ~~Dimension was 0.072+/-0.005 is 0.063 +0.004/-0.001~~

645.7110 Lock Nut Swivel Type

- Omit outsourcing for Electropolish and Passivation.

Please confirm if these changes are acceptable.

Thanks,
Ketan

Entered: JK Date: OCT 20 2020NCR No. 20-8575

WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

Route update only ☐

Job: <u>213820</u> Part No. <u>607.3301</u>		DISPOSITION Rework ☒ Scrap ☐ Use-as-is ☐		DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☒ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐																															
Date: <u>20.10.07</u>	Sequence #: <u>110</u>	QTY Affected: <u>1</u>		DAS 51 9-89 20/10/07 MRB (QSI042)																															
Description Work Order Deviation		Disposition		Completed By <u>20-10-19</u> Lead hand / Supervisor DAS 58 9-89 OCT 19 2020 QC / QA Coordinator DAS 55 9-89 19 OCT 2020																															
replace the P/Ns listed on the drawing with the following P/Ns 601.1581 → CBL-1240 (Cable) 601.1054 → CBL-460 (Crimp Sleeve) 601.2330 → MS24665-103 (Cotter Pin)		these changes were made to reduce lead time																																	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☒		FAULT CATEGORY <table border="0"><tr><td>☐ Pressure/Forced</td><td>☐ Contamination</td><td>☐ Power Loss/Surge</td><td>☐ Positioned Wrong</td></tr><tr><td>☐ Bending</td><td>☐ Misaligned/off center</td><td>☐ Folio/Program</td><td>☐ Outside Tolerance</td></tr><tr><td>☐ Crushing</td><td>☐ BOM/Route</td><td>☐ Grain Direction</td><td>☒ Drawing</td></tr><tr><td>☐ Cracks</td><td>☐ Broken/Damage/Defect</td><td>☐ Weld</td><td>☐ Finish</td></tr><tr><td>☐ Crimp/Kink/Ripple/Wave/Twist</td><td>☐ Incomplete/Unclear Instructions</td><td>☐ Wrong Stock Pulled</td><td>☐ Part Lost/Missing</td></tr><tr><td>☐ Marks/Chatter</td><td>☐ Drill Holes</td><td>☐ Out of Sequence</td><td>☐ Misread</td></tr><tr><td>☐ Mislabeled</td><td>☐ Fit/Function</td><td>☐ Off-set/Set-up</td><td></td></tr></table> Other/Details:						☐ Pressure/Forced	☐ Contamination	☐ Power Loss/Surge	☐ Positioned Wrong	☐ Bending	☐ Misaligned/off center	☐ Folio/Program	☐ Outside Tolerance	☐ Crushing	☐ BOM/Route	☐ Grain Direction	☒ Drawing	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Finish	☐ Crimp/Kink/Ripple/Wave/Twist	☐ Incomplete/Unclear Instructions	☐ Wrong Stock Pulled	☐ Part Lost/Missing	☐ Marks/Chatter	☐ Drill Holes	☐ Out of Sequence	☐ Misread	☐ Mislabeled	☐ Fit/Function	☐ Off-set/Set-up	
☐ Pressure/Forced	☐ Contamination	☐ Power Loss/Surge	☐ Positioned Wrong																																
☐ Bending	☐ Misaligned/off center	☐ Folio/Program	☐ Outside Tolerance																																
☐ Crushing	☐ BOM/Route	☐ Grain Direction	☒ Drawing																																
☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Finish																																
☐ Crimp/Kink/Ripple/Wave/Twist	☐ Incomplete/Unclear Instructions	☐ Wrong Stock Pulled	☐ Part Lost/Missing																																
☐ Marks/Chatter	☐ Drill Holes	☐ Out of Sequence	☐ Misread																																
☐ Mislabeled	☐ Fit/Function	☐ Off-set/Set-up																																	